



**BULB VINTAGE LED E14, 6W**  
glass

10592



**BULB VINTAGE LED E27, 6W**  
glass

10596



**BULB VINTAGE LED E27, 6W**  
glass

10594



**BULB LED E14, C35, 6W**  
glass

10589




**BULB LED E27, A60, 7W**  
glass

10587



**BULB VINTAGE LED E27, 6W**  
glass

10593



**BULB VINTAGE LED E27, 6W**  
glass

10595



**BULB LED E27, A60, 10W**  
glass

10588



**5 PC SET**

**BULB LED E27, A60 2W, 5 PC SET**  
glass

7487

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Power factor	Lifetime
10592	6W LED	2200K	470 lm	360°	≥ 80	~220-230 V, 50/60 Hz	>0.5	15000h
10596	6W LED	2200K	580 lm	360°	≥ 80	~220-230 V, 50/60 Hz	>0.5	15000h
10594	6W LED	2200K	560 lm	360°	≥ 80	~220-230 V, 50/60 Hz	>0.5	15000h
10593	6W LED	2200K	550 lm	360°	≥ 80	~220-230 V, 50/60 Hz	>0.5	15000h
10595	6W LED	2200K	450 lm	360°	≥ 80	~220-230 V, 50/60 Hz	>0.5	15000h

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Power factor	Lifetime
10589	6W LED	3000K	650 lm	360°	≥ 80	~220-230 V, 50/60 Hz	>0.5	15000h
10587	7W LED	3000K	800 lm	360°	≥ 80	~220-230 V, 50/60 Hz	>0.5	15000h
10588	10W LED	3000K	1100 lm	360°	≥ 80	~220-230 V, 50/60 Hz	>0.5	15000h
7487	2W LED	2200K	160 lm	360°	≥ 80	~220-230 V, 50/60 Hz	>0.5	15000h